

substance/mixture and of the company/undertaking
OMINO BIANCO 100+ ADDITIVO SMACCHIATORE GEL
1F0097
le substance or mixture and uses advised against
utions
utions.
safety data sheet
( +39 0362 378 228
oup
tel. 00356 2554 0000
and a surface of the second
r the safety data sheet:
a.it
er

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture
 EC regulation criteria 1272/2008 (CLP)
 ♦ Danger, Eye Dam. 1, Causes serious eye damage.

Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H318 Causes serious eye damage. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective gloves and eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



P310 Immediately call a POISON CENTER / doctor. Special Provisions: None Contains ALCOHOL, ETHOXYLATED SODIUM C10-13 ALKYL BENZENESULFONATE hydrogen peroxide solution ... %

2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

Composition labelling (Detergent Regulation 648/2004/EC).Ingredients - 648/2004/EC (www.boltondet.com):5 - 15 %< 5 %</td>Also contains:perfumes, optical brighteners

# **SECTION 3: Composition/information on ingredients**

- 3.1. Substances
- Not applicable
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numbe	ər	Classification
>= 10% - < 20%	ALCOHOL, ETHOXYLATED	CAS:	68439-50-9	<ul> <li> <sup>(1)</sup> 3.1/4/Oral Acute Tox. 4 H302 </li> <li> <sup>(2)</sup> 4.1/A1 Aquatic Acute 1 H400 </li> <li> <sup>(3)</sup> 3.3/1 Eye Dam. 1 H318 </li> <li> <sup>(4)</sup> 4.1/C3 Aquatic Chronic 3 H412 </li> </ul>
>= 5% - < 10%	hydrogen peroxide solution %	Index number: CAS: EC:	7722-84-1	<ul> <li>2.13/1 Ox. Liq. 1 H271</li> <li>4.1/C3 Aquatic Chronic 3 H412</li> <li>3.2/1A Skin Corr. 1A H314</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>3.1/4/Inhal Acute Tox. 4 H332</li> </ul>
>= 1% - < 5%	SODIUM C10-13 ALKYL BENZENESULFONATE	CAS: EC:	68411-30-3 270-115-0	<ul> <li> <sup>(1)</sup> 3.1/4/Oral Acute Tox. 4 H302 </li> <li> <sup>(1)</sup> 4.1/C3 Aquatic Chronic 3 H412 </li> <li> <sup>(1)</sup> 3.2/2 Skin Irrit. 2 H315 </li> <li> <sup>(2)</sup> 3.3/1 Eye Dam. 1 H318 </li> </ul>

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" (http://echa.europa.eu/ documents/10162/13632/annex\_v\_en. pdf). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

[2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.

[3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

#### Page n. 2 of 10



## **SECTION 4: First aid measures**

4.1. Description of first aid measures

#### In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

# In case of Ingestion:

Do NOT induce vomiting.

#### In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

#### None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

None

# **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
    - Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

- None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.
  - See protective measures under point 7 and 8.
- 6.2. Environmental precautions
  - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up

#### Page n. 3 of 10



Wash with plenty of water. 6.4. Reference to other sections See also section 8 and 13

# **SECTION 7: Handling and storage**

<ul> <li>7.1. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. Contamined clothing should be changed before entering eating areas. Do not eat or drink while working. See also section 8 for recommended protective equipment.</li> <li>7.2. Conditions for safe storage, including any incompatibilities Keep in a fresh and ventilated area. Keep away from food, drink and feed. Incompatible materials: None in particular.</li> <li>7.3. Specific end use(s) None in particular</li> </ul>
SECTION 8: Exposure controls/personal protection
8.1. Control parameters
hydrogen peroxide solution % - CAS: 7722-84-1
ACGIH - TWA(8h): 1 ppm - Notes: A3 - Eye, URT, and skin irr
DNEL Exposure Limit Values SODIUM C10-13 ALKYL BENZENESULFONATE - CAS: 68411-30-3
Worker Industry: 170 19141.05 - Consumer: 85 19141.05 - Exposure: Human Dermal -
Frequency: Short Term, systemic effects
Worker Industry: 12 03 - Consumer: 3 03 - Exposure: Human Inhalation - Frequency:
Long Term, systemic effects
Consumer: 0.85 19141.05 - Exposure: Human Oral - Frequency: Long Term, systemic
effects
PNEC Exposure Limit Values
SODIUM C10-13 ALKYL BENZENESULFONATE - CAS: 68411-30-3
Target: Fresh Water - Value: 0.268 mg/l Target: Marine water - Value: 0.0268 mg/l
Target: Freshwater sediments - Value: 8.1 mg/kg
Target: Microorganisms in sewage treatments - Value: 3.43 mg/l
8.2. Exposure controls
Eye protection:
Eye glasses with side protection.
Eye glasses.
Protection for skin:
Chemical protection clothing. Protection for hands:
Suitable gloves type:
Gloves with long cuffs.
Suitable material:
Butyl caoutchouc (butyl rubber).
CR (polychloroprene, chloroprene rubber).
NBR (nitrile rubber).
Page n. 4 of 10



NR (natural rubber, natural latex). Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	Transparent liquid		
Colour:	Pale blue		
Odour:	Characteristic		
Odour threshold:	N.D.		smell distinctly perceptible under normal use conditions.
pH:	5.3		the product as such (100%)
Melting point / freezing point:	Not Relevant		property not pertinent or not relevant to the safety and product classification
Initial boiling point and boiling range:	Not Relevant		This property is not pertinent or not relevant to the safety and product classification
Flash point:	Not applicable		Will not burn
Evaporation rate:	Not Relevant		poorly volatile
Solid/gas flammability:	Not applicable		liquid product
Upper/lower flammability or explosive limits:	Not applicable		it does not burn
Vapour pressure:	Not Relevant		similar to water: about 2300 mPa
Vapour density:	Not Relevant		similar to air
Relative density:	1.03 kg/l		0
Solubility in water:	Complete		
Solubility in oil:	Insoluble		

Page n. 5 of 10



Partition coefficient (n- octanol/water):	Not applicable	 mixture of many different substances
Auto-ignition temperature:	Not Relevant	 not flammable
Decomposition temperature:	ND	 very slow decomposition
Viscosity:	1300 mPa.s	 @20°C
Explosive properties:	Not Relevant	 No known risk of dust formation or explosive atmospheres
Oxidizing properties:	ND	 

## 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant		
Fat Solubility:	Not Relevant		
Conductivity:	Not Relevant		
Substance Groups relevant properties	Not Relevant		

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

It may react with easily oxidized metals, oxidizing or reducing agents. With very alkaline products can develop oxygen. Use only under the conditions and for the intended uses.

10.2. Chemical stability

The product is stable in normal conditions of use and storage (between -10 °C and + 30 °C). It may decompose slowly at temperatures above 40-50 °C with gas evolution.

10.3. Possibility of hazardous reactions

Possible exothermic reactions with strong oxidizing or reducing products, with amines, easily oxidizable metals and in contact with a little water. Possible decomposition of hydrogen peroxide.

10.4. Conditions to avoid

Avoid conditions of handling, storage and use other than those explicitly indicated on the label and / or in Sections 7 and 8

Keep in a ventilated area, away from heat, moisture.

10.5. Incompatible materials

materiali sensibili agli ossidanti, come prodotti riducenti, ammine, metalli facilmente ossidabili, metalli pesanti

10.6. Hazardous decomposition products None.

# **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the product:

Page n. 6 of 10



Not applicable Toxicological information of the main substances found in the product: ALCOHOL, ETHOXYLATED - CAS: 68439-50-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg SODIUM C10-13 ALKYL BENZENESULFONATE - CAS: 68411-30-3 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat 1150 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

a) acute toxicity;
b) skin corrosion/irritation;
c) serious eye damage/irritation;
d) respiratory or skin sensitisation;
e) germ cell mutagenicity;
f) carcinogenicity;
g) reproductive toxicity;
h) STOT-single exposure;
i) STOT-repeated exposure;
j) aspiration hazard.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. ALCOHOL, ETHOXYLATED - CAS: 68439-50-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.11 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.11 mg/l - Duration h: 48 Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72 SODIUM C10-13 ALKYL BENZENESULFONATE - CAS: 68411-30-3 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia > 5 mg/l - Duration h: 48 Endpoint: 9 - Species: Algae > 1 mg/l - Duration h: 72 Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Algae = 29 mg/l - Duration h: 96 12.2. Persistence and degradability None Not applicable 12.3. Bioaccumulative potential Not applicable 12.4. Mobility in soil

- Not applicable 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

#### Page n. 7 of 10



# **SECTION 14: Transport information**

#### 14.1. UN number

- Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
  - Not applicable
- 14.3. Transport hazard class(es) Not applicable
- 14.4. Packing group
  - Not applicable
- 14.5. Environmental hazards ADR-Enviromental Pollutant: No IMDG-Marine pollutant: No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Not applicable 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### Page n. 8 of 10

# 3

## **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H400 Very toxic to aquatic life.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H271 May cause fire or explosion; strong oxidiser.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H315 Causes skin irritation.

Hazard class and hazard category	Code	Description
Ox. Liq. 1	2.13/1	Oxidising liquid, Category 1
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ACGIH - Threshold Limit Values for Chemical Substances (www.acgih.org)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

User is responsable of complying all current and pertaining legislations, regulations and directives. Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

ADR: European Agreement concerning the International Carriage of

Page n. 9 of 10



	Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
IATA-DOR.	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	
N.A.: N.D.:	Not applicable Not available
PNEC:	Predicted No Effect Concentration.
-	
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	
TWA:	Threshold Limiting Value.
	Time-weighted average German Water Hazard Class.
WGK:	German water mazaru Class.