

	•
SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	
Mixture identification:	
Trade name:	WC NET BLEACH GEL - extra/instant white - lemon fresh (yellow)
Product code:	2F0019
Product type and use:	Toilet cleaner
	chlorine based bleach
Recommended use:	he substance or mixture and uses advised against
See label: instructions and preca	autions
Uses advised against:	
See label: instructions and preca	
1.3. Details of the supplier of the	e safety data sheet
Company:	
BOLTON MANITOBA SP	A
Via Pirelli, 19	
20124 Milano - Italy	
Tel. +39 02 6709 333 - Fa	ax +39 0362 378 228
Distributor:	
Alf.Mizzi & Sons (Mktg) G	roup
Zachary House	
Marsa Industrial Estate -	
MARSA LQA 06 -MALTA	- tel. 00356 2554 0000
+39 02 67 09 333	
Competent person responsible f	for the sefety data sheet:
safetyinfo@boltonmanitob	
1.4. Emergency telephone numb	
+39 02 67 09 333	
00356 2554 0000	
030 274 8888	
000 274 0000	
ECTION 2: Hazards identification	
2.1. Classification of the substar	
	/45/EC and following amendments thereof:
Properties / Symbols:	
Xi Irritant	
R Phrases:	
R36/38 Irritating to eyes a	nd skip
K30/30 Initaling to eyes a	inu skin.
EC regulation criteria 1272/2008	R (CLP)
	Causes severe skin burns and eye damage.
	May be corrosive to metals.
Adverse physicochemical huma	an health and environmental effects:
No other hazards	
2.2. Label elements	
Symbols:	
A	
$\mathbf{V}$	
Page n. 1 of 9	

Page n. 1 of 9



Danger Hazard statements: H314 Causes severe skin burns and eye damage. H290 May be corrosive to metals. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN: Remove/Take off immediately all contaminated clothing. Rinse skin with water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P405 Store locked up. Special Provisions: EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). PACK1 The packing must be featured by a safety lock for children and have a tactive indications for blind people. PACK2 The packing must have tactive indications of danger for blind people. Contents: sodium hypochlorite, solution ALKYL DIMETHYLAMINE OXIDE Special provisions according to Annex XVII of REACH and subsequent amendments: 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards SECTION 2: Hazards identification If brought into contact with the eyes, the product causes irritation that may last for over 24 hours, and if brought into contact with the skin it causes significant inflammation with erythema, scabs, and oedema. Composition labelling (Detergent Regulation 648/2004/EC). Ingredients - 648/2004/EC (www.boltondet.com): non-ionic surfactants, chlorine-based bleaching, soap < 5 % Also contains: perfumes, optical brighteners

### **SECTION 3: Composition/information on ingredients**

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

1% - 5% sodium hypochlorite, solution

REACH No.: 01-2119488154-34, Index number: 017-011-00-1, CAS: 7681-52-9, EC: 231-668-3 C,N; R31-34-50 ♦ 3.2/1B Skin Corr. 1B H314

♦ 4.1/A1 Aquatic Acute 1 H400

Page n. 2 of 9



1% - 5% ALKYL DIMETHYLAMINE OXIDE REACH No.: 01-2119489396-21, CAS: n.d., EC: n.d. Xn,Xi,N; R22-41-38-50 3.1/4/Oral Acute Tox. 4 H302 1.2/2 Skin Irrit. 2 H315

4.1/C2 Aquatic Chronic 2 H411

- ♦ 3.3/1 Eye Dam. 1 H318
- 4.1/A1 Aquatic Acute 1 H400

0.1% - 1% sodium hydroxide; caustic soda

REACH No.: 01-2119457892-27, Index number: 011-002-00-6, CAS: 1310-73-2, EC: 215-185-5 C: R35

3.1/4/Dermal Acute Tox. 4 H312

1/4/Oral Acute Tox. 4 H302

- 3.2/1A Skin Corr. 1A H314
- 3.3/2 Eye Irrit. 2 H319

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" (http://echa.europa.eu/ documents/10162/13632/annex\_v\_en. pdf). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

[2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.

[3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

#### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediatley and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

Page n. 3 of 9



### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media:
  - Water.
    - Carbon dioxide (CO2).
  - Extinguishing media which must not be used for safety reasons:
  - None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
  - Burning produces neavy smo
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus .
  - Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - Wear personal protection equipment.
  - Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
  - Retain contaminated washing water and dispose it.
  - In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
  - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhaltion of vapours and mists.
  - Don't use empty container before they have been cleaned.
  - Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recomened protective equipment.

 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s) None in particular

# SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Page n. 4 of 9



sodium hydroxide; caustic soda - CAS: 1310-73-2 TLV STEL: C 1,22 ppm - C 2 mg/m3 **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Use close fitting safety goggles, don't use eye lens. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and	chemical properties
Appearance and colour:	Transparent liquid
Odour:	Characteristic of chlorine
Odour threshold:	N.D.
pH:	13.0
Melting point / freezing point:	Not Relevant
Initial boiling point and boiling r	
Solid/gas flammability:	Not Relevant
Upper/lower flammability or exp	blosive limits: Not Relevant
Vapour density:	N.A.
Flash point:	Not Relevant
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	1.08 kg/l
Solubility in water:	Complete
Solubility in oil:	Insoluble
Partition coefficient (n-octanol/	water): Not Relevant
Auto-ignition temperature:	N.A.
Decomposition temperature:	N.A.
Viscosity:	1000 cps
Explosive properties:	N.A.
Oxidizing properties:	N.A.
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant pro	perties N.A.

#### **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
- Stable under normal conditions 10.2. Chemical stability Stable under normal conditions

### Page n. 5 of 9



10.3. Possibility of hazardous reactions

It may generate toxic gases on contact with acids, amides, aliphatic and aromatic amines, carbamates, halogenated organic substances, isocyanates, organic sulphides, nitriles, organophosphates, inorganic sulphides, and polymerisable substances. It may catch fire on contact with other substances.

10.4. Conditions to avoidStable under normal conditions.10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products None.

### **SECTION 11: Toxicological information**

11.1. Information on toxicological effects Toxicological information of the mixture:

N.A.

Toxicological information of the main substances found in the mixture:

IN.A.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. WC NET BLEACH GEL - extra/instant white - lemon fresh (yellow) a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia = 2 mg/l - Duration h: 48 sodium hypochlorite, solution - CAS: 7681-52-9 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.011-0.1 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.011-0.1 mg/l - Duration h: 48 ALKYL DIMETHYLAMINE OXIDE - CAS: n.d. a) Aquatic acute toxicity: Endpoint: EC50 - Species: Algae = 0.24 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia = 2.4 mg/l - Duration h: 48 Endpoint: LC50 - Species: Fish = 1.26 mg/l - Duration h: 96 12.2. Persistence and degradability None N.A. 12.3. Bioaccumulative potential N.A. 12.4. Mobility in soil N.A. 12.5. Results of PBT and vPvB assessment

Page n. 6 of 9



vPvB Substances: None - PBT Substances: None 12.6. Other adverse effects None

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

<b>SECTION 14: Transport information</b>	
14.1. UN number	
ADR/RID-UN number:	1791
IATA-Un number:	1791
IMDG-Un number:	1791
14.2. UN proper shipping name	
ADR-Shipping Name:	HYPOCHLORITE SOLUTION (sodium hypochlorite)
IATA-Technical name:	HYPOCHLORITE SOLUTION (sodium hypochlorite)
IMDG-Technical name:	HYPOCHLORITE SOLUTION (sodium hypochlorite)
14.3. Transport hazard class(es)	
ADR/RID-Class:	8
ADR-Label:	80
IATA-Class:	8
IMDG-Class:	8
14.4. Packing group	
ADR/RID-Packing Group:	
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
Marine pollutant:	No
14.6. Special precautions for user	
ADR-Tunnel Restriction Code:	(E)
IMDG-Technical name:	HYPOCHLORITE SOLUTION (sodium hypochlorite)
IMDG-EMS:	F-A, S-B
14.7. Transport in bulk according to A	nnex II of MARPOL73/78 and the IBC Code

### **SECTION 15: Regulatory information**

N.A.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances) Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations) Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP)

Regulation (EU) n. 453/2010 (Annex I)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions :

Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

Surfactants contained in this mixture comply biodegradability requirements prescribed by

Page n. 7 of 9



Detergent Regulation 648/2004/CE. 1999/13/EC (VOC directive)

15.2. Chemical safety assessment No

### **SECTION 16: Other information**

Text of phrases referred to under heading 3:

R22 Harmful if swallowed.

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H411 Toxic to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H312 Harmful in contact with skin.

H319 Causes serious eye irritation.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - twelth Edition - Van Nostrand Reinold

ACGIH - Threshold Limit Values - 2008 edition

http://echa.europa.eu/information-on-chemicals

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

User is responsable of complying all current and pertaining legislations, regulations and directives. Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

ADR:	European Agreement concerning the International Carriage of
	Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.

Page n. 8 of 9



IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.
N.A.:	N.A.
N.D.:	