

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: SMAC EXPRESS DEGREASER KITCHEN Trade name: 3F0008 Product code: Product type and use: Surface cleaner 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: See label: instructions and precautions Uses advised against: See label: instructions and precautions. 1.3. Details of the supplier of the safety data sheet Company: BOLTON MANITOBA SPA Via Pirelli, 19 20124 Milano - Italy Tel. +39 02 6709 333 - Fax +39 0362 378 228 Distributor: Alf.Mizzi & Sons (Mktg) Group Zachary House Marsa Industrial Estate -MARSA LQA 06 -MALTA - tel. 00356 2554 0000 Competent person responsible for the safety data sheet: safetyinfo@boltonmanitoba.it 1.4. Emergency telephone number 00356 2554 0000 030 274 8888 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture



Danger Hazard statements: H315 Causes skin irritation. H318 Causes serious eye damage. Precautionary statements: P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective gloves and eye protection. P302+P352 IF ON SKIN: Wash with plenty of water/... P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



P310 Immediately call a POISON CENTER/doctor. Special Provisions: None Contents: 2-aminoethanol; ethanolamine ALCOHOL, ETHOXYLATED 2.3. Other hazards vPvB Substances: None - PBT Substances: None Other Hazards: No other hazards

Composition labelling (Detergent Regulation 648/2004/EC). Ingredients - 648/2004/EC (www.boltondet.com): < 5 % phosphonates, non-ionic surfactants Also contains: perfumes

SECTION 3: Composition/information on ingredients

- 3.1. Substances
 - N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number		Classification	
>= 1% - < 5%	2-aminoethanol; ethanolamine	Index number: CAS: EC: REACH No.:	141-43-5 205-483-3	 3.1/4/Dermal Acute Tox. 4 H312 3.1/4/Inhal Acute Tox. 4 H332 3.1/4/Oral Acute Tox. 4 H302 3.2/1B Skin Corr. 1B H314 	
>= 1% - < 5%	ALCOHOL, ETHOXYLATED	CAS:	127036-24-2	 ^① 3.1/4/Oral Acute Tox. 4 H302 ^③ 3.3/1 Eye Dam. 1 H318 	
>= 0.1% - < 1%	AMINE, ETHOXYLATED, PROPOXYLATED	CAS:	71808-33-8	 	

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" (http://echa.europa.eu/ documents/10162/13632/annex_v_en. pdf). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

- [2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.
- [3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

SECTION 4: First aid measures

4.1. Description of first aid measures



In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

- Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.
- In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment:
 - None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
- Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular. 5.2. Special hazards arising from the substance or mixture
- 5.2. Special nazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 Use suitable breathing apparatus .
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

- 6.3. Methods and material for containment and cleaning up
 - Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Page n. 3 of 9



Do not eat or drink while working. See also section 8 for recommended protective equipment. 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed. Incompatible materials: None in particular. Instructions as regards storage premises: Adequately ventilated premises. 7.3. Specific end use(s) None in particular **SECTION 8: Exposure controls/personal protection** 8.1. Control parameters 2-aminoethanol; ethanolamine - CAS: 141-43-5 EU - LTE(8h): 2,5 mg/m3, 1 ppm - STE: 7,6 mg/m3, 3 ppm - Notes: Bold-type: Indicative Occupational Exposure Limit Values [2,3] and Limit Values for Occupational Exposure [4] (for references see bibliography) ACGIH - LTE(8h): 3 ppm - STE: 6 ppm - Notes: Eye and skin irr **DNEL Exposure Limit Values** N.A. **PNEC Exposure Limit Values** N.A. 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Use adequate protective respiratory equipment. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Transparent liquid		
Odour:	Characteristic		
Odour threshold:	N.D.		
pH:	11.2		
Melting point / freezing point:	Not Relevant		

Page n. 4 of 9



Initial boiling point and boiling range:	N.A.	
Flash point:	N.A.	
Evaporation rate:	N.A.	
Solid/gas flammability:	Not Relevant	
Upper/lower flammability or explosive limits:	Not Relevant	
Vapour pressure:	Not Relevant	
Vapour density:	N.A.	
Relative density:	1.0 kg/l	
Solubility in water:	Complete	
Solubility in oil:	Insoluble	
Partition coefficient (n- octanol/water):	Not Relevant	
Auto-ignition temperature:	N.A.	
Decomposition temperature:	N.A.	
Viscosity:	Not Relevant	
Explosive properties:	N.A.	
Oxidizing properties:	Not Relevant	

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	N.A.		
Fat Solubility:	N.A.		
Conductivity:	N.A.		
Substance Groups relevant properties	N.A.		

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - Stable under normal conditions
- 10.2. Chemical stability Stable under normal conditions

Page n. 5 of 9



- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials
- None in particular. 10.6. Hazardous decomposition products
 - None.

SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Toxicological information of the mixture: N.A.
- Toxicological information of the main substances found in the mixture:
 - N.A.

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. AMINE, ETHOXYLATED, PROPOXYLATED - CAS: 71808-33-8 a) Aquatic acute toxicity: Endpoint: LC50 - Species: Fish = 0.12 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.12 mg/l - Duration h: 48

- Endpoint: EC50 Species: Algae = 0.11 mg/l Duration h: 72
- 12.2. Persistence and degradability

None

N.A.

- 12.3. Bioaccumulative potential N.A.
- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects

None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
 - Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

Page n. 6 of 9



14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- ۰.۰۰. N.A.
- 14.5. Environmental hazards
- 14.6. Special precautions for user
 - Ń.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3** Restriction 40 Restrictions related to the substances contained: No restriction. Where applicable, refer to the following regulatory provisions : Directive 82/501/EEC ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents). Surfactants contained in this mixture comply biodegradability requirements prescribed by Detergent Regulation 648/2004/CE. 1999/13/EC (VOC directive) Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II): N.A. 15.2. Chemical safety assessment

No

SECTION 16: Other information

Text of phrases referred to under heading 3: H312 Harmful in contact with skin. H332 Harmful if inhaled.



H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU. This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - twelth Edition - Van Nostrand Reinold

ACGIH - Threshold Limit Values - 2008 edition

http://echa.europa.eu/information-on-chemicals

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

User is responsable of complying all current and pertaining legislations, regulations and directives. Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

ADR:	European Agreement concerning the International Carriage of
CAS:	Dangerous Goods by Road. Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Áviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

Page n. 8 of 9



WGK: German Water Hazard Class.