

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Mixture identification:

Trade name: SMAC DETERGENTE DISINFETTANTE

Product code: 3F0030

Product type and use: Surface cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

See label: instructions and precautions

Uses advised against:

Uses different from those indicated on the packaging or recommended in this document.

1.3. Details of the supplier of the safety data sheet

Company:

BOLTON MANITOBA SPA

Via Pirelli, 19

20124 Milano - Italy

Tel. +39 02 6709 333 - Fax +39 0362 378 228

Distributor:

Alf.Mizzi & Sons (Mktg) Group

Zachary House

Marsa Industrial Estate -

MARSA LQA 06 -MALTA - tel. 00356 2554 0000

+39 02 6709 333

Competent person responsible for the safety data sheet:

safetyinfo@boltonmanitoba.it

1.4. Emergency telephone number

+39 02 6709 333

00356 2554 0000

112

---

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear protective gloves and eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.  
P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

Contains

ALCOHOL, ETHOXYLATED  
2-aminoethanol; ethanolamine  
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one: May produce an allergic reaction.

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

Composition labelling (Detergent Regulation 648/2004/EC).

Ingredients - 648/2004/EC ([www.boltondet.com](http://www.boltondet.com)):

< 5 % phosphonates, non-ionic surfactants

Also contains: disinfectants, perfumes

Preservatives 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

**SECTION 3: Composition/information on ingredients**

3.1. Substances

Not applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 1% - < 3%	ALCOHOL, ETHOXYLATED	CAS: 127036-24-2 EC: 603-182-5	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	1-methoxy-2-propanol; monopropylene glycol methyl ether	Index number: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1 REACH No.: 01-2119457435-35-XXXX	⚠ 2.6/3 Flam. Liq. 3 H226 ⚠ 3.8/3 STOT SE 3 H336
>= 1% - < 3%	3-butoxypropan-2-ol; propylene glycol monobutyl ether	Index number: 603-052-00-8 CAS: 5131-66-8 EC: 225-878-4 REACH No.: 01-2119475527-28-XXXX	⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 3.2/2 Skin Irrit. 2 H315
>= 1% -	2-aminoethanol;	Index 603-030-00-8	⚠ 3.1/4/Dermal Acute Tox. 4 H312



< 3%	ethanolamine	number: 141-43-5 CAS: EC: 205-483-3 REACH No.: 01-2119486455-28-XXXX	<p>⚠ 3.1/4/Inhal Acute Tox. 4 H332                  ⚠ 3.1/4/Oral Acute Tox. 4 H302                  ⚠ 3.2/1B Skin Corr. 1B H314                  Specific Concentration Limits:                  C &gt;= 5%: STOT SE 3 H335</p>
>= 0,5% - < 1%	BENZALKONIUM CHLORIDE	CAS: 68424-85-1 EC: 270-325-2 REACH No.: 01-2119970550-39-XXXX	<p>⚠ 4.1/C1 Aquatic Chronic 1 H410                  M=1.                  ⚠ 3.1/4/Oral Acute Tox. 4 H302                  ⚠ 3.2/1A Skin Corr. 1A H314                  ⚠ 3.3/1 Eye Dam. 1 H318                  ⚠ 4.1/A1 Aquatic Acute 1 H400                  M=1.</p>
>= 0,005% - < 0,1%	1,2-benzisothiazol- 3(2H)-one; 1,2- benzisothiazolin-3-one	Index number: 613-088-00-6 CAS: 2634-33-5 EC: 220-120-9	<p>⚠ 3.1/1/Inhal Acute Tox. 1 H330                  ⚠ 3.2/2 Skin Irrit. 2 H315                  ⚠ 4.1/C2 Aquatic Chronic 2 H411                  ⚠ 3.3/1 Eye Dam. 1 H318                  ⚠ 3.4.2/1-1A-1B Skin Sens. 1,1A,                  1B H317                  ⚠ 4.1/A1 Aquatic Acute 1 H400                  ⚠ 3.1/4/Oral Acute Tox. 4 H302                  Specific Concentration Limits:                  C &gt;= 0,05%: Skin Sens. 1,1A,1B                  H317</p>

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" ([http://echa.europa.eu/documents/10162/13632/annex\\_v\\_en.pdf](http://echa.europa.eu/documents/10162/13632/annex_v_en.pdf)). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

[2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.

[3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Remove contaminated clothing immediately and dispose off safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:



- Remove casualty to fresh air and keep warm and at rest.
- 4.2. Most important symptoms and effects, both acute and delayed  
None
- 4.3. Indication of any immediate medical attention and special treatment needed  
In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).  
Treatment:  
None

---

## **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media  
Suitable extinguishing media:  
Water.  
Carbon dioxide (CO<sub>2</sub>).  
Extinguishing media which must not be used for safety reasons:  
None in particular.
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.
- 5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

---

## **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
Retain contaminated washing water and dispose it.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.  
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up  
Wash with plenty of water.
- 6.4. Reference to other sections  
See also section 8 and 13

---

## **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Keep in a fresh and ventilated area.  
Keep away from food, drink and feed.  
Incompatible materials:



None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

---

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

EU - TWA(8h): 375 mg/m<sup>3</sup>, 100 ppm - STEL: 563 mg/m<sup>3</sup>, 150 ppm - Notes: Skin

ACGIH - TWA(8h): 50 ppm - STEL: 100 ppm - Notes: A4 - Eye and URT irr

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

11 - TWA: 50 ppm

2-aminoethanol; ethanolamine - CAS: 141-43-5

EU - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes: Skin

ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

### DNEL Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Worker Industry: 50.6 19141.05 - Consumer: 18.1 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Industry: 553.5 03 - Exposure: Human Inhalation - Frequency: Short Term, local effects

Worker Industry: 369 03 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

Worker Industry: 44 19141.05 - Consumer: 16 19141.05 - Exposure: Human Dermal

Worker Industry: 270.5 03 - Consumer: 33.8 03 - Exposure: Human Inhalation

Consumer: 8.75 19141.05

2-aminoethanol; ethanolamine - CAS: 141-43-5

Worker Industry: 1 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 3.3 03 - Exposure: Human Inhalation - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 0.24 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 2 03 - Exposure: Human Inhalation - Frequency: Long Term (repeated) - Endpoint: Systemic

BENZALKONIUM CHLORIDE - CAS: 68424-85-1

Worker Industry: 3.96 03 - Consumer: 1.64 19141.04 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 5.7 19141.05 - Consumer: 3.4 19141.05 - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.4 19141.05 - Exposure: Human Oral - Frequency: Long Term, systemic effects

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5

Consumer: 1 03 - Exposure: Human Inhalation

Worker Professional: 1 03 - Exposure: Human Inhalation

### PNEC Exposure Limit Values

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

Target: Fresh Water - Value: 10 mg/l

Target: Marine water - Value: 1 mg/l

Target: Freshwater sediments - Value: 52.3 mg/kg

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



Target: Marine water sediments - Value: 5.2 mg/kg  
 Target: Soil (agricultural) - Value: 4.59 mg/kg  
 3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8  
 Target: Fresh Water - Value: 0.525 mg/l  
 Target: Marine water - Value: 0.0525 mg/l  
 Target: Freshwater sediments - Value: 2.36 mg/kg  
 Target: Marine water - Value: 0.236 mg/kg  
 Target: Soil (agricultural) - Value: 0.16 mg/kg  
 2-aminoethanol; ethanolamine - CAS: 141-43-5  
 Target: Microorganisms in sewage treatments - Value: 100 mg/l  
 Target: Freshwater sediments - Value: 0.425 mg/kg  
 Target: Soil (agricultural) - Value: 0.035 mg/kg  
 BENZALKONIUM CHLORIDE - CAS: 68424-85-1  
 Target: Fresh Water - Value: 0.0009 mg/l  
 Target: Marine water - Value: 0.00096 mg/l  
 Target: Freshwater sediments - Value: 12.27 mg/kg  
 Target: Marine water sediments - Value: 13.09 mg/kg  
 Target: Microorganisms in sewage treatments - Value: 0.4 mg/l

**8.2. Exposure controls**

Eye protection:

- Eye glasses.
- Eye glasses with side protection.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

- Butyl caoutchouc (butyl rubber).
- CR (polychloroprene, chloroprene rubber).
- waterproof gloves

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

**SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	Transparent liquid	--	--
Colour:	Green	--	--
Odour:	characteristic balsamic	--	--
Odour threshold:	N.D.	--	smell distinctly perceptible

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



			under normal use conditions.
pH:	10.8	--	the product as such (100%)
Melting point / freezing point:	Not Relevant	--	property not pertinent or not relevant to the safety and product classification
Initial boiling point and boiling range:	ND	--	This property is not pertinent or not relevant to the safety and product classification
Flash point:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Evaporation rate:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Solid/gas flammability:	Not applicable	--	liquid product
Upper/lower flammability or explosive limits:	Not applicable	--	it does not burn
Vapour pressure:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Vapour density:	ND	--	similar to air
Relative density:	1.00 kg/l	--	0
Solubility in water:	Complete	--	--
Solubility in oil:	Insoluble	--	--
Partition coefficient (n-octanol/water):	Not Relevant	--	--
Auto-ignition temperature:	Not applicable	--	--
Decomposition temperature:	Not applicable	--	--
Viscosity:	ND	--	not viscous liquid
Explosive properties:	Not applicable	--	does not contain substances associated with explosive properties.
Oxidizing properties:	Not applicable	--	It does not contain oxidizing substances

9.2. Other information



Properties	Value	Method:	Notes:
Miscibility:	Not applicable	--	--
Fat Solubility:	Not applicable	--	--
Conductivity:	Not applicable	--	--
Substance Groups relevant properties	Not applicable	--	--

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No known particular risks of reaction with other substances in normal conditions of use.  
Stable under normal conditions

### 10.2. Chemical stability

The product is stable under normal storage conditions (between -10 °C and + 50 °C)  
Stable under normal conditions

### 10.3. Possibility of hazardous reactions

Without adequate ventilation, the accumulation of propellant gas released in the use or accidental loss canister could lead to hazardous atmospheres.

### 10.4. Conditions to avoid

none in particular. Follow the directions of the sections 7 and 8.  
Stable under normal conditions.

### 10.5. Incompatible materials

There is no known specific problems of incompatibility  
None in particular.

### 10.6. Hazardous decomposition products

No decomposition occurs if used for the intended uses and under the intended conditions.  
None.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological information of the product:

Not applicable

Toxicological information of the main substances found in the product:

ALCOHOL, ETHOXYLATED - CAS: 127036-24-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 4016 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 25.8 mg/l - Duration: 9

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3300 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 3.5 mg/l - Duration: 4h

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 1.48 mg/l - Duration: 4h



**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



- Test: LD50 - Route: Oral - Species: Rat = 1515 mg/kg  
Test: LD50 - Route: Skin - Species: Rat = 2504 mg/kg  
BENZALKONIUM CHLORIDE - CAS: 68424-85-1  
a) acute toxicity:  
Test: LD50 - Route: Skin - Species: Rabbit = 2848 mg/kg  
Test: LD50 - Route: Skin - Species: Rat > 800 mg/kg  
Test: LD50 - Route: Oral - Species: Rat = 397.5 mg/kg  
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5  
a) acute toxicity:  
Test: LD50 - Route: Oral - Species: Rat = 1030 mg/kg  
Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

---

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

ALCOHOL, ETHOXYLATED - CAS: 127036-24-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10-100 mg/l

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Fish > 1-10 mg/l

1-methoxy-2-propanol; monopropylene glycol methyl ether - CAS: 107-98-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 21100 mg/l - Duration h: 48

Endpoint: 5 - Species: Algae > 1000 mg/l

3-butoxypropan-2-ol; propylene glycol monobutyl ether - CAS: 5131-66-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 560 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48

c) Bacteria toxicity:

Endpoint: EC50 - Species: 19126.Bacteria > 1000 mg/l - Duration h: 3

e) Plant toxicity:

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 96

Endpoint: NOEC - Species: Algae = 560 mg/l - Duration h: 96

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96

BENZALKONIUM CHLORIDE - CAS: 68424-85-1

a) Aquatic acute toxicity:



- Endpoint: LC50 - Species: Fish = 0.85 mg/l - Duration h: 96  
Endpoint: EC50 - Species: Daphnia = 0.02 mg/l - Duration h: 48  
Endpoint: LC50 - Species: Algae = 0.06 mg/l - Duration h: 96  
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5
- a) Aquatic acute toxicity:  
Endpoint: EC50 - Species: Daphnia = 3.7 mg/l - Duration h: 48  
Endpoint: LC50 - Species: Fish = 1.9 mg/l - Duration h: 72  
Endpoint: EC50 - Species: Algae = 0.8 mg/l - Duration h: 72
- 12.2. Persistence and degradability  
None  
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one - CAS: 2634-33-5  
Biodegradability: Readily biodegradable
- 12.3. Bioaccumulative potential  
Not applicable
- 12.4. Mobility in soil  
Not applicable
- 12.5. Results of PBT and vPvB assessment  
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects  
None

---

### **SECTION 13: Disposal considerations**

- 13.1. Waste treatment methods  
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

---

### **SECTION 14: Transport information**

- 14.1. UN number  
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name  
Not applicable
- 14.3. Transport hazard class(es)  
Not applicable
- 14.4. Packing group  
Not applicable
- 14.5. Environmental hazards
- 14.6. Special precautions for user  
Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code  
Not applicable

---

### **SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture  
Dir. 98/24/EC (Risks related to chemical agents at work)  
Dir. 2000/39/EC (Occupational exposure limit values)  
Regulation (EC) n. 1907/2006 (REACH)  
Regulation (EC) n. 1272/2008 (CLP)  
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013  
Regulation (EU) 2015/830  
Regulation (EU) n. 286/2011 (ATP 2 CLP)  
Regulation (EU) n. 618/2012 (ATP 3 CLP)

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



Regulation (EU) n. 487/2013 (ATP 4 CLP)  
Regulation (EU) n. 944/2013 (ATP 5 CLP)  
Regulation (EU) n. 605/2014 (ATP 6 CLP)  
Regulation (EU) n. 2015/1221 (ATP 7 CLP)  
Regulation (EU) n. 2016/918 (ATP 8 CLP)  
Regulation (EU) n. 2016/1179 (ATP 9 CLP)  
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3  
Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

---

## **SECTION 16: Other information**

Text of phrases referred to under heading 3:

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H330 Fatal if inhaled.

H411 Toxic to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

<b>Hazard class and hazard category</b>	<b>Code</b>	<b>Description</b>
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Acute Tox. 1	3.1/1/Inhal	Acute toxicity (inhalation), Category 1

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1,1A,1B	3.4.2/1-1A-1B	Skin Sensitisation, Category 1,1A,1B
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP):

- 3.2/2 (Skin Irrit. 2 - H135) based on calculation
  - 3.3/1 (Eye Dam 1 - H318) based on calculation
  - 4.1/3 (Aq. Chronic 3 - H412) based on calculation
- Paragraphs modified from the previous revision:

**SECTION 3: Composition/information on ingredients**

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

<b>Classification according to Regulation (EC) Nr. 1272/2008</b>	<b>Classification procedure</b>
Skin Irrit. 2, H315	Calculation method
Eye Dam. 1, H318	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.  
 Main bibliographic sources:

ACGIH - Threshold Limit Values for Chemical Substances ([www.acgih.org](http://www.acgih.org))

The information contained herein is based on our state of knowledge at the above-specified date. It

**SMAC DETERGENTE DISINFETTANTE**  
**SAFETY DATA SHEET (Regulation (EU) 2015/830)**



refers solely to the product indicated and constitutes no guarantee of particular quality.  
It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

User is responsible of complying all current and pertaining legislations, regulations and directives.

Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not applicable
N.D.:	Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.