

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: SMAC EXPRESS DEGREASER LAVANDER

Product code: 3F0143

Product type and use: Surface cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

See label: instructions and precautions

Uses advised against:

Uses different from those indicated on the packaging or recommended in this document.

1.3. Details of the supplier of the safety data sheet

Company:

BOLTON MANITOBA SPA

Via Pirelli, 19

20124 Milano - Italy

Tel. +39 02 6709 333 - Fax +39 0362 378 228

Distributor:

Alf.Mizzi & Sons (Mktg) Group

Zachary House

Marsa Industrial Estate -

MARSA LQA 06 -MALTA - tel. 00356 2554 0000

+39 02 6709 333

Competent person responsible for the safety data sheet:

safetyinfo@boltonmanitoba.it

1.4. Emergency telephone number

+39 02 6709 333

00356 2554 0000

112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

For the following hazards the mixture is classified on the basis of the elements indicated below, different from conventional calculation: skin

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements:

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P260 Do not breathe spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves and eye protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor.

Special Provisions:

None

Contains

2-aminoethanol; ethanolamine
ALCOHOL, ETHOXYLATED

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

Composition labelling (Detergent Regulation 648/2004/EC).

Ingredients - 648/2004/EC (www.boltondet.com):

< 5 % soap, non-ionic surfactants

Also contains: perfumes

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 3% - < 5%	2-aminoethanol; ethanolamine	Index number: CAS: EC: REACH No.: 603-030-00-8 141-43-5 205-483-3 01- 2119486455 -28-XXXX	⚠ 3.1/4/Dermal Acute Tox. 4 H312 ⚠ 3.1/4/Inhal Acute Tox. 4 H332 ⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.2/1B Skin Corr. 1B H314 Specific Concentration Limits: C >= 5%: STOT SE 3 H335
>= 1% - < 3%	ALCOHOL, ETHOXYLATED	CAS: EC: 127036-24-2 603-182-5	⚠ 3.1/4/Oral Acute Tox. 4 H302 ⚠ 3.3/1 Eye Dam. 1 H318
>= 0,5% - < 1%	AMINE, ETHOXYLATED, PROPOXYLATED	CAS: EC: 71808-33-8 935-628-2	⚠ 3.1/4/Oral Acute Tox. 4 H302 4.1/C3 Aquatic Chronic 3 H412 ⚠ 3.3/2 Eye Irrit. 2 H319 ⚠ 4.1/A1 Aquatic Acute 1 H400

For full text of the R, H and EUH sentences mentioned in this Section, see Section 16. Exposure limits in the workplace, if available, are listed in Section 8.1.

[1] Exempted: ionic mixture. See Regulation 1907/2006/EC, Annex 5, paragraphs 3 and 4 and "Guidance for Annex V - Exemptions from the obligation to register" (<http://echa.europa.eu/>)



documents/10162/13632/annex_v_en.pdf). This salt is potentially present on the basis of calculations and is included in the list of substances for the purposes of classification and labeling only. The starting substances of the ionic mixture are registered or exempted.

[2] Exempted: Included in Annex IV of Regulation 1907/2006/EC.

[3] Exempted: Included in Annex V of Regulation 1907/2006/EC.

[4] Polymer, exempted under Article. 2.9 of Regulation 1907/2006/EC.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.



Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a fresh and ventilated area.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-aminoethanol; ethanolamine - CAS: 141-43-5

EU - TWA(8h): 2.5 mg/m³, 1 ppm - STEL: 7.6 mg/m³, 3 ppm - Notes: Skin

ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

DNEL Exposure Limit Values

2-aminoethanol; ethanolamine - CAS: 141-43-5

Worker Industry: 1 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 3.3 03 - Exposure: Human Inhalation - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 0.24 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 3.75 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated) - Endpoint: Systemic

Worker Industry: 2 03 - Exposure: Human Inhalation - Frequency: Long Term (repeated) - Endpoint: Systemic

PNEC Exposure Limit Values

2-aminoethanol; ethanolamine - CAS: 141-43-5

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Freshwater sediments - Value: 0.425 mg/kg

Target: Soil (agricultural) - Value: 0.035 mg/kg

8.2. Exposure controls

Eye protection:

Eye glasses.

Eye glasses with side protection.

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Butyl caoutchouc (butyl rubber).
 CR (polychloroprene, chloroprene rubber).
 waterproof gloves
 Disposable gloves.

Respiratory protection:

Use adequate protective respiratory equipment.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	Opaque liquid	--	--
Colour:	White	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.D.	--	smell distinctly perceptible under normal use conditions.
pH:	11.7	--	the product as such (100%)
Melting point / freezing point:	Not Relevant	--	property not pertinent or not relevant to the safety and product classification
Initial boiling point and boiling range:	ND	--	This property is not pertinent or not relevant to the safety and product classification
Flash point:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Evaporation rate:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Solid/gas flammability:	Not applicable	--	liquid product
Upper/lower flammability	Not applicable	--	it does not burn

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



or explosive limits:			
Vapour pressure:	Not Relevant	--	This property is not pertinent or not relevant to the safety and product classification
Vapour density:	ND	--	similar to air
Relative density:	1.00 kg/l	--	0
Solubility in water:	Complete	--	--
Solubility in oil:	Insoluble	--	--
Partition coefficient (n-octanol/water):	Not applicable	--	mixture of many different substances
Auto-ignition temperature:	Not applicable	--	--
Decomposition temperature:	ND	--	Property is not relevant or not relevant to the safety and product classification
Viscosity:	ND	--	not viscous liquid
Explosive properties:	Not applicable	--	does not contain substances associated with explosive properties.
Oxidizing properties:	Not applicable	--	It does not contain oxidizing substances

9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not applicable	--	--
Fat Solubility:	Not applicable	--	--
Conductivity:	Not applicable	--	--
Substance Groups relevant properties	Not applicable	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

No known particular risks of reaction with other substances in normal conditions of use.
 Stable under normal conditions

10.2. Chemical stability

The product is stable under normal storage conditions (between -10 °C and + 50 °C)
 Stable under normal conditions

10.3. Possibility of hazardous reactions



No known particular risks of reaction with other substances in normal conditions of use.
None

- 10.4. Conditions to avoid
none in particular. Follow the directions of the sections 7 and 8.
Stable under normal conditions.
- 10.5. Incompatible materials
There is no known specific problems of incompatibility
None in particular.
- 10.6. Hazardous decomposition products
No decomposition occurs if used for the intended uses and under the intended conditions.
None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

Not applicable

Toxicological information of the main substances found in the product:

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat = 1.48 mg/l - Duration: 4h

Test: LD50 - Route: Oral - Species: Rat = 1515 mg/kg

Test: LD50 - Route: Skin - Species: Rat = 2504 mg/kg

ALCOHOL, ETHOXYLATED - CAS: 127036-24-2

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 300 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

AMINE, ETHOXYLATED, PROPOXYLATED - CAS: 71808-33-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rabbit = 714.29 mg/kg

If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96

ALCOHOL, ETHOXYLATED - CAS: 127036-24-2

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1-10 mg/l - Duration h: 96



- Endpoint: EC50 - Species: Daphnia > 1-10 mg/l - Duration h: 48
- c) Bacteria toxicity:
Endpoint: EC50 - Species: 19126.Bacteria = 140 mg/l
- d) Terrestrial toxicity:
Endpoint: NOEC - Species: Algae = 10 mg/kg
- e) Plant toxicity:
Endpoint: EC50 - Species: Algae > 1-10 mg/l - Duration h: 72
- AMINE, ETHOXYLATED, PROPOXYLATED - CAS: 71808-33-8
- a) Aquatic acute toxicity:
Endpoint: LC50 - Species: Fish = 0.12 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia = 0.12 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae = 0.11 mg/l - Duration h: 72
- 12.2. Persistence and degradability
None
Not applicable
- 12.3. Bioaccumulative potential
Not applicable
- 12.4. Mobility in soil
Not applicable
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
Not applicable
- 14.3. Transport hazard class(es)
Not applicable
- 14.4. Packing group
Not applicable
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
- 14.6. Special precautions for user
Not applicable
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

No restriction.

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Not applicable

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Text of phrases referred to under heading 3:

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP):
3.2/2 Skin Irrit. 2, H315, test OECD431

Paragraphs modified from the previous revision:

SECTION 3: Composition/information on ingredients

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	On basis of test data
Eye Dam. 1, H318	Calculation method

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

ACGIH - Threshold Limit Values for Chemical Substances (www.acgih.org)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

User is responsible of complying all current and pertaining legislations, regulations and directives.

Company is not liable for any damage to persons or goods, caused by improper usage of information given in this safety data sheet.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE: Acute Toxicity Estimate
ATEmix: Acute toxicity Estimate (Mixtures)
CAS: Chemical Abstracts Service (division of the American Chemical Society).
CLP: Classification, Labeling, Packaging.
DNEL: Derived No Effect Level.
EINECS: European Inventory of Existing Commercial Chemical Substances.

SMAC EXPRESS DEGREASER LAVANDER
SAFETY DATA SHEET (Regulation (EU) 2015/830)



GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not applicable
N.D.:	Not available
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.