

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : Dr. Beckmann 2in1 Sanitiser  
 UFI : SVM8-A08K-J003-PJQN  
 Formulation-No. : 031-20  
 Type of product : Biocidal products

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
 Use of the substance/mixture : disinfectants

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

delta pronatura - Dr. Krauss & Dr. Beckmann KG  
 Kurt-Schumacher-Ring 15-17  
 63329 Egelsbach - Germany  
 T int+49-(0)6103-4045-0 - F int+49-(0)6103-4045-190

##### Email competent person

sds@kft.de

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Malta	National Emergency Number Malta		112	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
 Serious eye damage/eye irritation, Category 2 H319  
 Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

Highly flammable liquid and vapour. Causes serious eye irritation.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H225 - Highly flammable liquid and vapour.  
 H319 - Causes serious eye irritation.

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Precautionary statements (CLP)	: P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames. No smoking. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents, container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Extra phrases	: The additional label requirements of directive EU 528/2012 about the available on the market and use of biocidal products in article 69 have to be observed.
Child-resistant fastening	: Not applicable
Tactile warning	: Applicable

### 2.3. Other hazards

PBT: not relevant – no registration required

vPvB: not relevant – no registration required

Component	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
butanone (78-93-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
didecyldimethylammonium chloride (7173-51-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol (Active substance (Biocide))	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	≥ 50 – < 70	Flam. Liq. 2, H225 Eye Irrit. 2, H319
butanone substance with national workplace exposure limit(s) (MT); substance with a Community workplace exposure limit	(CAS-No.) 78-93-3 (EC-No.) 201-159-0 (EC Index-No.) 606-002-00-3	≥ 0.25 – < 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
didecyldimethylammonium chloride (Active substance (Biocide))	(CAS-No.) 7173-51-5 (EC-No.) 230-525-2 (EC Index-No.) 612-131-00-6	≥ 0.1 – < 0.25	Acute Tox. 3 (Oral), H301 (ATE=264 mg/kg bodyweight) Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 2, H411

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Ethanol (Active substance (Biocide))	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43-xxxx	( 50 ≤C < 100) Eye Irrit. 2, H319

Full text of H-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: In all cases of doubt, or when symptoms persist, seek medical attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Eye irritation.
------------------------------------	-------------------

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: Explosive vapour/air mixtures may be formed.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Firefighting instructions	: Protect container with water spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.
----------------------	---

##### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### 6.2. Environmental precautions

Avoid sub-soil penetration. Prevent entry to sewers and public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Notify authorities if product enters sewers or public waters.

Other information : Disposal must be done according to official regulations.

### 6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture.

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.

Heat and ignition sources : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat and direct sunlight.

Information about storage in one common storage facility : Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

<b>butanone (78-93-3)</b>	
<b>EU - Indicative Occupational Exposure Limit (IOEL)</b>	
Local name	Butanone
IOEL TWA	600 mg/m <sup>3</sup>
IOEL TWA [ppm]	200 ppm
IOEL STEL	900 mg/m <sup>3</sup>
IOEL STEL [ppm]	300 ppm
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
<b>Malta - Occupational Exposure Limits</b>	
Local name	Butanone
OEL TWA	600 mg/m <sup>3</sup>

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

<b>butanone (78-93-3)</b>	
OEL TWA [ppm]	200 ppm
OEL STEL	900 mg/m <sup>3</sup>
OEL STEL [ppm]	300 ppm
Regulatory reference	S.L.424.24 - Chemical Agents at Work Regulations (L.N.57 of 2018)

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

<b>Ethanol (64-17-5)</b>	
<b>DNEL/DMEL (Workers)</b>	
Long-term - systemic effects, dermal	343 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	950 mg/m <sup>3</sup>
<b>DNEL/DMEL (General population)</b>	
Long-term - systemic effects, oral	87 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	114 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	206 mg/kg bodyweight/day
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0.96 mg/l
PNEC aqua (marine water)	0.79 mg/l
PNEC aqua (intermittent, freshwater)	2.75 mg/l
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	3.6 mg/kg dwt
PNEC sediment (marine water)	2.9 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	0.63 mg/kg dwt
<b>PNEC (Oral)</b>	
PNEC oral (secondary poisoning)	0.38 kg/kg food
<b>PNEC (STP)</b>	
PNEC sewage treatment plant	580 mg/l

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	1.1 µg/L
PNEC aqua (marine water)	0.11 µg/L
<b>PNEC (Sediment)</b>	
PNEC sediment (freshwater)	61.86 mg/kg dwt
PNEC sediment (marine water)	6.186 mg/kg dwt
<b>PNEC (Soil)</b>	
PNEC soil	1.4 mg/kg dwt

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

PNEC (STP)	
PNEC sewage treatment plant	0.14 mg/l

### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

### 8.2.2. Personal protection equipment

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Wear closed safety glasses. EN 166

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing. EN ISO 13688. EN 13034

##### Hand protection:

In case of repeated or prolonged contact wear gloves. EN 374. Nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust. In case of insufficient ventilation, wear suitable respiratory equipment. Breathing apparatus with filter. A2-P2. EN 143.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product. The above mentioned instructions regarding the protective equipment refer to the industrial use of larger quantities.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Appearance	: colourless.
Odour	: lemon odour.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: > 35 °C
Flammability	: Not applicable

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Oxidising properties	: Non oxidizing.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 19 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 7.7
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: 0.882 g/cm <sup>3</sup>
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Highly flammable liquid and vapour.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

<b>Dr. Beckmann 2in1 Sanitiser</b>	
ATE CLP (oral)	> 5000 mg/kg bodyweight

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
LD50 oral rat	264 mg/kg bodyweight (female; (OECD 401 method))
LD50 dermal rat	> 1000 mg/kg bodyweight (Mortality has been observed at the given dose level;(OECD 402 method))

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
pH: 7.7  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7.7  
Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)  
Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

<b>butanone (78-93-3)</b>	
STOT-single exposure	May cause drowsiness or dizziness.

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
NOAEL (oral, rat)	≈ 46 mg/kg bodyweight/day (93d;male;(OECD 408 method))

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

<b>butanone (78-93-3)</b>	
NOAEC (inhalation, rat, vapour, 90 days)	5041 ppmv/6h/day

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)  
Hazardous to the aquatic environment, long-term (chronic) : Not classified (Based on available data, the classification criteria are not met)

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
LC50 - Fish [1]	0.49 mg/l (96 h; Brachydanio rerio (zebra-fish); (OECD 203 method))
EC50 - Crustacea [1]	0.057 mg/l (48 h; Daphnia magna; (OECD 202 method))
EC50 72h algae	≈ 0.062 mg/l (72h; Pseudokirchneriella subcapitata; (OECD 201 method))
ErC50 algae	0.062 mg/l (72 h; Pseudokirchnerella subcapitata (OECD 201 method))



# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

NOEC chronic crustacea	0.021 mg/l (21 d; Daphnia magna; (OECD 211 method))
NOEC chronic algae	0.013 mg/l (OECD 201 method)

### 12.2. Persistence and degradability

<b>Ethanol (64-17-5)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	84 % (20 d)

<b>butanone (78-93-3)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	98 % (28 d; OECD 301)

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	69 % (28d)

### 12.3. Bioaccumulative potential

<b>Ethanol (64-17-5)</b>	
Partition coefficient n-octanol/water (Log Kow)	-0.35 (20 °C)
Bioaccumulative potential	Bioaccumulation unlikely.

<b>butanone (78-93-3)</b>	
Partition coefficient n-octanol/water (Log Pow)	0.3 (40 °C; pH 7; (OECD 117 method))
Bioaccumulative potential	Bioaccumulation unlikely.

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.59 (20 °C; (OECD 105 method))

### 12.4. Mobility in soil

<b>Ethanol (64-17-5)</b>	
Surface tension	22.31 mN/m (20 °C)

<b>didecyldimethylammonium chloride (7173-51-5)</b>	
Surface tension	25.82 mN/m (OECD 115 method)

### 12.5. Results of PBT and vPvB assessment

<b>Dr. Beckmann 2in1 Sanitiser</b>	
PBT: not relevant – no registration required	
vPvB: not relevant – no registration required	

<b>Component</b>	
Ethanol (64-17-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
butanone (78-93-3)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

didecyldimethylammonium chloride (7173-51-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
--	---

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Disposal must be done according to official regulations. European waste catalogue. Do not discharge into drains or the environment. Do not dispose of with domestic waste.
Product/Packaging disposal recommendations	: Recycle or dispose of in compliance with current legislation.
Additional information	: Flammable vapours may accumulate in the container.
HP Code	: HP3 - "Flammable:" — flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; — flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; — flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; — flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; — water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; — other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP4 - "Irritant — skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number or ID number</b>				
UN 1170	UN 1170	UN 1170	UN 1170	UN 1170
<b>14.2. UN proper shipping name</b>				
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol)	ETHANOL (ETHYL ALCOHOL) (Ethanol)	Ethanol (Ethanol)	ETHANOL (ETHYL ALCOHOL) (Ethanol)	ETHANOL (ETHYL ALCOHOL) (Ethanol)
<b>Transport document description</b>				
UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) (Ethanol), 3, II, (D/E)	UN 1170 ETHANOL (ETHYL ALCOHOL) (Ethanol), 3, II	UN 1170 Ethanol (Ethanol), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL) (Ethanol), 3, II	UN 1170 ETHANOL (ETHYL ALCOHOL) (Ethanol), 3, II
<b>14.3. Transport hazard class(es)</b>				
3	3	3	3	3

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)



### 14.4. Packing group

II	II	II	II	II
----	----	----	----	----

### 14.5. Environmental hazards


Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
------------------------------------	---	------------------------------------	------------------------------------	------------------------------------

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1  
Special provisions (ADR) : 144, 601  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 33  
Orange plates :



Tunnel restriction code (ADR) : D/E

#### Transport by sea

Special provisions (IMDG) : 144  
Limited quantities (IMDG) : 1 L  
Excepted quantities (IMDG) : E2  
EmS-No. (Fire) : F-E  
EmS-No. (Spillage) : S-D

#### Air transport

PCA Excepted quantities (IATA) : E2  
PCA Limited quantities (IATA) : Y341  
PCA limited quantity max net quantity (IATA) : 1L  
PCA packing instructions (IATA) : 353  
PCA max net quantity (IATA) : 5L  
CAO max net quantity (IATA) : 60L  
Special provisions (IATA) : A3, A58, A180

#### Inland waterway transport

Classification code (ADN) : F1  
Special provisions (ADN) : 144, 601  
Limited quantities (ADN) : 1 L  
Excepted quantities (ADN) : E2  
Additional requirements/Remarks (ADN) :

#### Rail transport

Classification code (RID) : F1  
Special provisions (RID) : 144, 601  
Limited quantities (RID) : 1L  
Excepted quantities (RID) : E2  
Transport category (RID) : 2  
Hazard identification number (RID) : 33

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Reference code	Applicable on
3(a)	Dr. Beckmann 2in1 Sanitiser ; Ethanol ; butanone
3(b)	Dr. Beckmann 2in1 Sanitiser ; Ethanol ; butanone
40.	Dr. Beckmann 2in1 Sanitiser ; Ethanol ; butanone

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Substances subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals: Didecyldimethylammonium chloride (7173-51-5)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Other information, restriction and prohibition regulations : The additional label requirements of directive EU 528/2012 about the available on the market and use of biocidal products in article 69 have to be observed. Every advertisement for biocides has to be accompanied by following sentence: Use biocides safely. Always read the label and product information before use. Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products. Take note of Directive 94/33/EC on the protection of young people at work.

##### Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products

This product contains biocidal products

Type of product (Biocide) : 1 - Human hygiene, 2 - Disinfectants and algacides not intended for direct application to humans or animals, 4 - Food and feed area

Authorisation number : -

##### Directive 2012/18/EU (SEVESO III)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P5c FLAMMABLE LIQUIDS Flammable liquids, Categories 2 or 3 not covered by P5a and P5b	5000	50000

##### 15.1.2. National regulations

**Malta**  
National regulations : Take note of Subsidiary Legislation 427.66 (registration, evaluation, authorisation and restriction of chemicals (REACH) (implementation) regulations) and of Subsidiary Legislation 429.69 (classification, labelling and packaging of substances and mixtures (CLP) (implementation) regulation.  
Refer to Subsidiary Legislation 424.10 on the protection of young people at work.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1	Trade name	Modified	

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

<b>Abbreviations and acronyms:</b>	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative

Data sources : Information provided by the manufacturer. ECHA (European Chemicals Agency).  
Department issuing data : KFT Chemieservice GmbH  
specification sheet: Im Leuschnerpark 3 64347 Griesheim  
Germany  
  
Phone: +49 6155-8981-400 Fax: +49 6155 8981-500  
Safety Data Sheet Service: +49 6155 8981-522  
  
Contact person : Dr. Dina Shaydulina  
Other information : Version/s 1.00 is/are not available in this language.

<b>Full text of H- and EUH-statements:</b>	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2

# Dr. Beckmann 2in1 Sanitiser

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 2	H225	Calculation method
Eye Irrit. 2	H319	Calculation method

KFT SDS EU 02

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.